TRADE PRODUCT CATALOG

ACOUSTIC



PN	Phosphor Bronze with NANOWEB® Coating	E-1	B-2	G-3	D-4	A-5	E-6
16002	Extra Light	.010	.014	.023	.030	.039	.047
16027	Custom Light	.011	.015	.022	.032	.042	.052
16052	Light	.012	.016	.024	.032	.042	.053
16077	Light/Medium	.012	.016	.024	.035	.045	.056
16102	Medium	.013	.017	.026	.035	.045	.056
16182	HD Light	.013	.017	.025	.032	.042	.053
		E	**B**	**G**	**D**	**A**	**E**
16152	12-String Light	.010	.014	.023	.030	.039	.047
		.010	.014	.009	.012	.018	.027



PN	80/20 Bronze with NANOWEB Coating	E-1	B-2	G-3	D-4	A-5	E-6
11002	Extra Light	.010	.014	.023	.030	.039	.047
11027	Custom Light	.011	.015	.022	.032	.042	.052
11052	Light	.012	.016	.024	.032	.042	.053
11077	Light/Medium	.012	.016	.024	.035	.045	.056
11102	Medium	.013	.017	.026	.035	.045	.056
11182	HD Light	.013	.017	.025	.032	.042	.053
		B-1	**F#-2**	**D-3**	**A-4**	**E-5**	**B-6**
11306	Baritone	.016	.022	.030	.047	.059	.070
		B-1	**F#-2**	**D-3**	**A-4**	**E-5**	**B-6**
11308	8-String Baritone	.016	.022	.030	.047	.059	.070
				.012	.014		
		E	**B**	**G**	**D**	**A**	**E**
11152	12-String Light	.010	.014	.023	.030	.039	.047
		.010	.014	.009	.012	.018	.027



PN	80/20 Bronze with POLYWEB® Coating	E-1	B-2	G-3	D-4	A-5	E-6
11000	Extra Light	.010	.014	.023	.030	.039	.047
11025	Custom Light	.011	.015	.022	.032	.042	.052
11050	Light	.012	.016	.024	.032	.042	.053
11075	Light/Medium	.012	.016	.024	.035	.045	.056
11100	Medium	.013	.017	.026	.035	.045	.056
11125	Resonator	.016	.018	.028	.035	.045	.056
		E	**B**	**G**	**D**	**A**	**E**
11150	12-String Light	.010	.014	.023	.030	.039	.047
		.010	.014	.009	.012	.018	.027

ELECTRIC



PN	Nickel Plated Steel with OPTIWEB® Coating	E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
19002	Super Light	.009	.011	.016	.024	.032	.042	-	-
19027	Custom Light	.009	.011	.016	.026	.036	.046	-	-
19052	Light	.010	.013	.017	.026	.036	.046	-	-
19077	Light/Heavy	.010	.013	.017	.032	.042	.052	-	-
19102	Medium	.011	.014	.018	.028	.038	.049	-	-
19007	7-String Super Light	.009	.011	.016	.024	.032	.042	.052	-
19057	7-String Light	.010	.013	.017	.026	.036	.046	.056	-
19062	8-String Light	.010	.013	.017	.030	.042	.054	.064	.074
19074	7-String Light/Heavy	.010	.013	.017	.026	.036	.046	.059	-
19106	7-String Medium	.011	.014	.018	.028	.038	.049	.059	-



PN	Nickel Plated Steel with NANOWEB Coating	E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
12002	Super Light	.009	.011	.016	.024	.032	.042	-	-
12027	Custom Light	.009	.011	.016	.026	.036	.046	-	-
12052	Light	.010	.013	.017	.026	.036	.046	-	-
12077	Light/Heavy	.010	.013	.017	.032	.042	.052	-	-
12102	Medium	.011	.014	.018	.028	.038	.049	-	-
12152	Heavy	.012	.016	.024	.032	.042	.052	-	-
12302	Baritone	.012	.016	.022	.038	.052	.068	-	-
12007	7-String Super Light	.009	.011	.016	.024	.032	.042	.052	-
12057	7-String Light	.010	.013	.017	.026	.036	.046	.056	-
12062	8-String Light	.010	.013	.017	.030	.042	.054	.064	.074
12074	7-String Light/Heavy	.010	.013	.017	.026	.036	.046	.059	-
12106	7-String Medium	.011	.014	.018	.028	.038	.049	.059	-
		E	**B**	**G**	**D**	**A**	**E**		
12450	12-String Light	.010	.013	.017	.026	.036	.046		
		.010	.013	.009	.012	.018	.026		



PN	Nickel Plated Steel with POLYWEB Coating	E-1	B-2	G-3	D-4	A-5	E-6
12000	Super Light	.009	.011	.016	.024	.032	.042
12025	Custom Light	.009	.011	.016	.026	.036	.046
12050	Light	.010	.013	.017	.026	.036	.046
12100	Medium	.011	.014	.018	.028	.038	.049

ELECTRIC BASS



PN	Nickel Plated Steel with NANOWEB® Coating	G-1	D-2	A-3	E-4	B-5	C-6
14002	4-String Super Light, Long Scale	.040	.060	.075	.095	-	-
14052	4-String Light, Long Scale	.045	.065	.080	.100	-	-
14077	4-String Light/Medium, Long Scale	.045	.065	.085	.105	-	-
14087	4-String Light/Medium, Extra Long Scale	.045	.065	.085	.105	-	-
14102	4-String Medium, Long Scale	.050	.070	.085	.105	-	-
14202	5-String Light, Long Scale	.045	.065	.085	.105	.130	-
14207	5-String Light/Medium, Long Scale	.045	.065	.085	.105	.135	-



PN	Stainless Steel with NANOWEB Coating	G-1	D-2	A-3	E-4	B-5	C-6
14652	4-String Light, Long Scale	.045	.065	.080	.100	-	-
14677	4-String Light/Medium, Long Scale	.045	.065	.085	.105	-	-
14702	4-String Medium, Long Scale	.050	.070	.085	.105	-	-
14777	5-String Light, Long Scale	.045	.065	.085	.105	.130	-
14782	5-String Light/Medium, Long Scale	.045	.065	.085	.105	.135	-

ELECTRIC BASS 5th & 6th STRING SINGLES



PN	Nickel Plated Steel with NANOWEB Coating Custom 5th and 6th String Singles	G-1	D-2	A-3	E-4	B-5	C-6
15332	Medium C	-	-	-	-	-	.032
15425	Super Light B, Long Scale	-	-	-	-	.125	-
15430	Light B, Long Scale	-	-	-	-	.130	-
15432	Light B, Long Scale TaperWound	-	-	-	-	.130tw	-
15433	Light B, Extra Long Scale, TaperWound	-	-	-	-	.130tw	-
15435	Medium B, Long Scale	-	-	-	-	.135	-



PN	Stainless Steel with NANOWEB Coating Custom 5th String Singles	G-1	D-2	A-3	E-4	B-5	C-6
13426	Super Light B, Long Scale	-	-	-	-	.125	-
13436	Light B, Long Scale	-	-	-		.130	-

ACOUSTIC BASS



PN	80/20 Bronze with NANOWEB Coating	G-1	D-2	A-3	E-4	B-5	C-6
14502	4-String Light, Long Scale	.045	.065	.080	.100	-	-

SINGLE STRINGS

Anti-Rust Plain Steel

PN	Gauge	PN	Gauge
13009	.009	13015	.015
13010	.010	13016	.016
13011	.011	13017	.017
13012	.012	13018	.018
13013	.013	13022	.022
13014	.014		

Acoustic 80/20 Bronze with

NANOWEB Coating PN	POLYWEB Coating PN	Gauge
15122	13122	.022
15123	13123	.023
15124	13124	.024
15125	-	.025
15126	13126	.026
15127	13127	.027
15128	13128	.028
15130	13130	.030
15132	13132	.032
15135	13135	.035
15139	13139	.039
15142	13142	.042
15145	13145	.045
15147	13147	.047
15152	13152	.052
15153	13153	.053
15156	13156	.056
15159	13159	.059
15170	-	.070

Acoustic Phosphor Bronze with

NANOWEB Coating PN	Gauge
14122	.022
14123	.023
14124	.024
14125	.025
14126	.026
14127	.027
14130	.030
14132	.032
14135	.035
14139	.039
14142	.042
14145	.045
14147	.047
14152	.052
14153	.053
14156	.056

SINGLE STRINGS

Electric Nickel Plated Steel with

NANOWEB® Coating PN	POLYWEB® Coating PN	OPTIWEB® Coating PN	Gauge
15224	13224	16224	.024
15226	13226	16226	.026
15228	13228	16228	.028
15230	-	16230	.030
15232	13232	16232	.032
15236	13236	16236	.036
15238	13238	16238	.038
15242	13242	16242	.042
15246	13246	16246	.046
15249	13249	16249	.049
15252	-	16252	.052
15254	-	16254	.054
15256	-	16256	.056
15259	-	16259	.059
15260	-	16260	.060
15262	-	16262	.062
15264	-	16264	.064
15268	-	-	.068
15274	-	16274	.074
15280	-	16280	.080

Electric Bass Nickel Plated Steel with

NANOWEB Coating PN	Gauge
15332	.032
15340	.040
15345	.045
15350	.050
15360	.060
15365	.065
15370	.070
15375	.075
15380	.080
15385	.085
15395	.095
15400	.100 L
15405	.105 L
15406	.105 XL
15425	.125 L
15430	.130 L
15431	.130 XL
15432	.130tw L
15433	.130tw XL
15435	.135 L

Electric Bass Stainless Steel with

NANOWEB Coating PN	Gauge
13346	.045
13366	.065
13381	.080
13386	.085
13402	.100 L
13407	.105 L
13426	.125 L
13436	.130 L

Acoustic Bass 80/20 Bronze with

NANOWEB Coating PN	Gauge
15745	.045
15765	.065
15780	.080
15800	.100 L
15825	.125 L

MINI BULK LISTING

Acoustic Phosphor Bronze with NANOWEB® Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
Extra Light (10-47)	16005	16003	16004
Custom Light (11-52)	16026	16028	16029
Light (12-53)	16057	16053	16054
Medium (13-56)	16105	16103	16104

Acoustic 80/20 Bronze with NANOWEB Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
Custom Light (11-52)	11026	11029	11028
Light (12-53)	11057	11054	11053

Acoustic 80/20 Bronze with POLYWEB® Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
Light (12-53)	11058	11055	11051

Electric Nickel Plated Steel with OPTIWEB® Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
Super Light (09-42)	19005	19004	19003
Custom Light (09-46)	19025	19029	19028
Light (10-46)	19055	19054	19053
Light/Heavy (10-52)	19075	19079	19078
Medium (11-49)	19105	19104	19103

Electric Nickel Plated Steel with NANOWEB Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
Super Light (09-42)	12005	12004	12003
Light (10-46)	12055	12054	12053

Electric Bass Nickel Plated Steel with NANOWEB Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
4-String Light/ Medium, Long Scale (45-105)	14078	- bass only offered 25 set	

Electric Bass Stainless Steel with NANOWEB Coating

Description	Part No. 25 Sets	Part No. 50 Sets	Part No. 100 Sets
4-String Light/ Medium, Long Scale (45-105)	14678	- bass only offered 25 set	

With the purchase of Mini Bulk sets, you agree to display the provided hang tags and/or clings on the guitars and not to repackage the strings for individual resale.

CUSTOMER SERVICE INFORMATION

United States & Other Regions

W. L. Gore & Associates, Inc.
201 Airport Road
Elkton, MD 21921

Email: esorders@wlgore.com

Phone: +1 800 367 5533 (USA only)
Fax: +1 410 506 7692

Europe

W. L. Gore & Associates GmbH
Hermann-Oberth-Str. 26
D-85640 Putzbrunn - Germany

Email: elixirorders@wlgore.com

Telefon: +49 89 4612 2242
Telefax: +49 89 4612 42287

Latin America

W. L. Gore & Associates do Brasil Ltda.
Edifício Bolsa de Imóveis de São Paulo
Av. das Nações Unidas
11.541 - CJ52
Brooklin Paulista
04578-000 São Paulo/SP - Brasil

Email: elixirstringsbr@wlgore.com

Phone: +55 11 5502 7800
Direct: +55 11 5502 7827
Fax: +55 11 5502 7801

Effective May 2022. GORE *Together, improving life.* ELIXIR, NANOWEB, POLYWEB, OPTIWEB, GREAT TONE • LONG LIFE, "e" icon and other designs are trademarks of W. L. Gore & Associates. © 1997-2022 W. L. Gore & Associates, Inc.

ELX-642-R2-STL-US-MAR23